

# DECK DR8-TB3



Expand storage capacity up to **112TB**

A high-speed storage system for an extensive range of applications

## Embedded disk array controller


The embedded disk array controller allows the data of a single damaged hard disk to be completing preserved without affecting system efficiency. For users requiring large data storage space, the DR8-TB3's RAID 5 provides the most cost-effective solution for data security and backup. The DR8-TB3 can be installed by following the simple steps in GUI, and users can select to use from the multiple modes, JBOD, RAID 1, RAID 0, RAID 10, RAID 5 or RAID 6. With the hassle-free software installation and setup, users can enjoy the large capacity and content safe storage right after formatting the hard disk.

## Stackable and expandable design for effective space utilization

The DR8-TB3's unique stackable design takes up an area of no more than two sheets of A4 paper, allowing users to stack upwards and save space. The DR8-TB3 can also be installed in server racks, allowing a rack server's storage capacity to be effectively expanded.

## User-friendly GUI

Marvell Config Tool, a Graphical User Interface, for customized performance settings.




## Big storage volume for your creative contents. Up to 112TB.

DR8-TB3 holds any capacity of SATA hard drives up to 14TB per drive bay. With all drive bays installing 14TB drives, in RAID 0 mode, the system will give you a total of 112TB in volume for storage, and under the RAID 5 mode, a total of 98TB in volume for storage with a single drive used for redundancy.



## Keylock & Ejected Metal Tray for 3.5" & 2.5" SAS/SATA Drive

The DR8-TB3 is a quadruple drive storage enclosure system that supports the latest 3.5" and 2.5" SAS/SATA hard drives to deliver high-capacity data storage solutions. Featuring flawless structural design, optimized internal configuration, and a durable aluminum casing to protect your internal drives, the DR8-TB3 is perfect for creative and highly mobile professionals.



## DECK DR8-TB3

**Designed for both rack installation  
and desk placement**



STARDOM's design team broke away from traditional design and created a brand new flat DECK design. We redefined the placement of each component from the inside out, creating a sturdy yet elegant appearance that is compatible with a 19-inch rack. The DR8-TB3 can be easily placed on your computer desk or be used with your office server placed inside of the audio-visual cabinet and stacked with your other devices.


### Compatible with a 19-inch rack

The DR8-TB3 can be easily installed in a standard 19-inch server rack and can be effectively integrated with other video capture devices. Its compact design is perfect for small server racks that need to be moved around. The DR8-TB3 can also be integrated with other servers to make a large-capacity workstation, making it a breeze for small business owners and independent departments to back up important data.

### Backup department's important data with Mac mini Server

Do you worry that disk failure may cause data loss when using a Mac mini Server as the platform for enterprise database or resources control center? By working with DR8-TB3, you can both backup data in DR8-TB3 and share the spare space to meet other storage requirements for full spectrum data backup. The Mac mini's Thunderbolt interface allows up to six installations of the DR8-TB3.

### More Speed



## Product Views

### DR8-TB3



### DR8-TB3-B




## Specification

Model no.	DR8-TB3 (Silver) / DR8-TB3-B (Black)
Interface	Thunderbolt 3 Port x 2, Mini DisplayPort x 1
Support Hard Drive	8 x 3.5" / 2.5" SATA HDD/SSD ( up to 6 Gbps ) / Support large volume up to 14TB
Storage Mode	RAID 0, 1, 5, 6, 10, 50, 60 and JBOD
Operating System Support	Windows 7 (64-bit), Windows 10 (64-bit), macOS 10.13 and later
Electrical and Operating Requirements	* Line voltage: 100-240V AC * Frequency: 50Hz to 60Hz, single phase * Maximum continuous power: 300W * Operating temperature: 32° to 104° F (0° to 40° C) * Storage temperature: -4° to 116° F (-20° to 47° C) * Relative humidity: 5% to 95% noncondensing
Cooling System	8cm Low noise fan x 2
LED Indicators	Yes
Dimension	427(W)×88(H)×244.4(L) mm
Product Code	DR8-TB3 - EAN: 4711132864670, UPC: 884826501404 DR8-TB3-B - EAN: 4713227440189, UPC: 884826504368
Carton	2 pcs per carton
Packing Content	* DR8-TB3 x 1 ( with removable drive tray enclosed x 8 ) * Thunderbolt Cable x 1      * AC Power Cable x 1 * Screws and key              * Quick Installation Guide x1

### Stardom Headquarter

7F-9, No.16, Lane 609, Sec.5, Chung-Hsin Rd.,  
 241 San-Chung Dist., New Taipei City, Taiwan  
 Website : [www.stardom.com.tw](http://www.stardom.com.tw)  
 E-mail : [sales01@stardom.com.tw](mailto:sales01@stardom.com.tw)



Distributor