



## iTANK i310-BA31

1-Bay 3.5"/2.5" SATA III HDD/SSD Storage

Compatible with USB Type-C and Type-A transmission interface

i310-BA31 supports USB 3.2 Gen2 protocol which gives you an up to 10Gbps data transfer rate. With easy and friendly to use features, you could easily use it for storage data and editing your huge photo galleries directly from your Notebook which supports USB 3.2 Gen2, such like Macbook Pro.


The i310-BA31 designed removable drive trays can accommodate 3.5" HDDs, 2.5" SSDs, and 2.5" HDDs (supporting a range of widths including 15/12/9.5/9/7 mm) and combine the convenience of external plug and play drives with the advantages in stability offered by internal drives, enabling you to enjoy the best of both worlds and increased mobility.

### Features

1. External SATA drive storage for macOS and Windows
2. USB 3.2 Gen2 brings you up to 10Gbps high transfer rate
3. Support USB Type C interface, both positive and negative insertion
4. Applicable to USB Type-C or USB Type-A Host interface
5. No need to install drive, plug and play
6. Hot swappable drive, support 1 x 3.5" or 2.5" SATA HDD / SSD
7. Fan-less design, silent operation
8. Designed with aluminum construction for the fast heat dissipation

## USB 3.2 Gen2 brings you 10Gbps extreme high data transfer speed

The i310-BA31 supports USB 3.2 Gen2 Protocol gives you an up to 10Gbps speed and a valuable storage mode choices. You could easily use it for searching data and editing your huge photo galleries directly from your Macbook Pro (USB-C) from its easy and friendly to use features. And also, you could definitely edit the 4K high resolution videos with no any uncomfortable delay.



## Compatible with USB Type-C and Type-A Hosts

i310-BA31 itself has only one USB Type-C data transfer interface, but STARDOM provides two USB cables, one is USB Type-C to Type-C cable and another one is USB Type-C to Type-A cable. User can choose which cable to be used when connect i310-BA31 to the PC/Mac. There will be no more question about how to connect i310-BA31 to USB Type-A host or where user can buy one USB Type-C to Type-A cable or adapter.



## Hot-Swappable Drive, i310-BA31 to support 1 x 3.5" / 2.5" SATA HDD/SSD

To bundle with one new easy-to-use Trays, i310-BA31 supports any kinds of 3.5" & 2.5" SATA HDD/SSD. And also, i310's aluminum housing help protecting your data from its solid structure design and the excellent heat dissipation.

Since this new easy-to-use Tray is dimensional compliant to all our Stardom products, you could easily transfer your data among different storage devices. And also, its key lock design could provide a double protection at your data from any improper Tray extracting.


★ Spare removable drive tray available



## Designed with Aluminum Construction for High Quality and Fast Heat Dissipation

i310-BA31 is designed with sturdy and thick aluminum casing materials, which is more resistant to impact than the general aluminum products, firmly protect your hard drives for various conditions. The i310-BA31 is also with the high-quality base design that can be used as standing or lying without occupying your desk space. The aluminum casing is designed with vents can keep the hard drives working normally and keep the hard drives quickly heat dissipation all the times after the long-term use.





- |                           |                                 |
|---------------------------|---------------------------------|
| A. HDD access light       | D. USB 3.2 Gen2 Type-C (10Gbps) |
| B. HDD tray ejection hole | E. Power switch                 |
| C. HDD tray handle        | F. Power socket                 |

## Technical Specification

i310-BA31	
Interface	• 1 x USB 3.2 Gen2 Type-C (10Gbps)
Compatible Drive	1 x 3.5"/2.5" SATA III HDD/SSD ( up to 6 Gbps )
Certification	CE/FCC
Storage Mode	JBOD - Independent Mode
Operating System Support	Windows 7 or above, OS X 10.10 or above
Electrical and Operating Requirements	<ul style="list-style-type: none"> <li>• Line voltage: 100-240V AC</li> <li>• Frequency: 50Hz to 60Hz, single phase</li> <li>• Operating temperature: 32° to 104° F (0° to 40° C)</li> <li>• Storage temperature: -4° to 116° F (-20° to 47° C)</li> <li>• Relative humidity: 5% to 95% noncondensing</li> </ul>
Size	Height : 131 mm Width : 50 mm Depth : 224 mm
Product Code	i310-BA31 EAN : 4713227441001 UPC : 884826505563
Carton	10 pcs per carton
Package Accessories	<ul style="list-style-type: none"> <li>• i310-BA31 x 1 (with 3.5"/2.5" removable drive tray enclosed x1)</li> <li>• USB 3.2 Type-C to Type-C Cable x 1</li> <li>• USB 3.2 Type-C to Type-A Cable x 1</li> <li>• AC Power Adapter x 1</li> <li>• Power Cable x 1</li> <li>• User Manual x 1</li> <li>• Screws &amp; Ejector pin</li> </ul>