



## UBOX M.2 NVMe Converter


Make M.2 NVMe SSD to U.2 NVMe SSD

UBOX ( M.2 NVMe Converter ) support 1 x M.2 NVMe SSD, and it has the sturdy aluminum housing to protect your M.2 NVMe SSD. With the attached heat sink and aluminum housing, it can provide excellent heat dissipation effect. M.2 NVMe Converter combined with the convenient plug-and-play advantages of the hard drive drawer, it can make your M.2 NVMe Converter be easily replaced and carried as U.2 NVMe SSD.


### Features

1. Convert the M.2 NVMe SSD into the 2.5" U.2 NVMe SSD form factor.
2. Exact the same dimensions, U.2 connector location and screw-hole locations as a standard U.2 SSD.
3. Support M.2 NVMe SSD from 42mm to 80mm in length.
4. Support SFF-8639 Interface.
5. Aluminum chasses and heat sink for M.2 NVMe SSD protection and cooling performance.
6. Support Hot-swap.
7. Latch lock screwless design.

## Support SFF-8639 Interface




## Easily Install M.2 NVMe SSD



## Latch Lock Screw-less Design

*Latch lock screwless design*



## UBOX to miniSAS HDD



<b>Interface</b>	1 x SFF-8639 (U.2)
<b>Compatible Disk</b>	1 x M.2 NVMe Solid State Disk (SSD) (Dimension: 2242/2260/2280)
<b>Certification</b>	CE / FCC
<b>RAID Modes</b>	JBOD
<b>Operating System</b>	Windows 7 or later, Linux
<b>Electrical and Operating Requirements</b>	<ul style="list-style-type: none"> <li>* Line voltage: 12V + 5V DC</li> <li>* Operating temperature: 32° to 104° F (0° to 40° C)</li> <li>* Storage temperature: -4° to 116° F (-20° to 47° C)</li> <li>* Relative humidity: 5% to 95% non-condensing</li> </ul>
<b>Dimension</b>	Height: 15 mm    Width: 69.85 mm    Depth: 108.08 mm
<b>Product Code</b>	EAN: UPC: