

RAIDON



SafeTANK GT1670 Series

External Storage for One 3.5"/2.5" SATA Disk (HDD or SSD)

Compatible with USB Type-C and Type-A transmission interface

SOHOTANK GT1670 Series (GT1670) supports USB 3.2 Gen2 protocol which gives you an up to 10Gbps data transfer rate. With easy and friendly to use features, you could easily use it for storage data and editing your huge photo galleries directly from your Notebook which supports USB 3.2 Gen2, such like Macbook Pro.

The GT1670 designed removable disk tray can accommodate 3.5" HDDs, 2.5" SSDs, and 2.5" HDDs (supporting a range of widths including 15/12/9.5/9/7 mm) and combine the convenience of external plug and play drives with the advantages in stability offered by internal drives, enabling you to enjoy the best of both worlds and increased mobility.


Features

1. External SATA drive storage for macOS and Windows
2. USB 3.2 Gen2 brings you up to 10Gbps high transfer rate
3. Support USB Type C interface, both positive and negative insertion
4. Applicable to USB Type-C or USB Type-A Host interface
5. No need to install drive, plug and play
6. Hot swappable drive, support 1 x 3.5" or 2.5" SATA HDD / SSD
7. Fan-less design, silent operation
8. Designed with aluminum construction for the fast heat dissipation



USB 3.2 Gen2 brings you 10Gbps extreme high data transfer speed

The GT1670 supports USB3.2 Gen2 Protocol gives you an up to 10Gbps speed and a valuable storage mode choices. You could easily use it for searching data and editing your huge photo galleries directly from your Macbook Pro (USB-C) from its easy and friendly to use features. And also, you could definitely edit the 4K high resolution videos with no any uncomfortable delay.



Compatible with USB Type-C and Type-A Hosts

GT1670 itself has only one USB Type-C data transfer interface, but RAIDON provides two USB cables, one is USB Type-C to Type-C cable and another one is USB Type-C to Type-A cable. User can choose which cable to be used when connect GT1670 to the PC/Mac. There will be no more question about how to connect GT1670 to USB Type-A host or where user can buy one USB type-C to Type-A cable or adapter.



Designed with Aluminum Construction for High Quality and Fast Heat Dissipation

GT1670 is designed with sturdy and thick aluminum casing materials, which is more resistant to impact than the general aluminum products, firmly protect your hard drives for various conditions. The GT1670 is also with the high-quality base design that can be used as standing or lying without occupying your desk space. The aluminum casing is designed with vents can keep the hard drives working normally and keep the hard drives quickly heat dissipation all the times after the long-term use.




Hot-swappable Disk Tray support 1 x 3.5" / 2.5" SATA HDD/SSD

With one easy-to-use Disk Tray, GT1670 supports any kinds of 3.5" & 2.5" SATA HDD/SSD. And with the aluminum housing, it can protect your data and with the excellent heat dissipation. Since this easy-to-use Disk Tray is dimensional compliant to all our Stardom products, you could easily transfer your data among different storage devices. And also, its key lock design could provide a double protection at your data from any improper Tray extracting.



★ Spare removable drive tray available





- A. HDD access light
- B. HDD tray key lock
- C. Tray button
- D. HDD tray handle

- E. USB 3.2 Gen2 Type-C (10Gbps)
- F. Power switch
- G. Power socket

Technical Specification

| | | | | | |
|---------------------------------------|---|---------------|--------------|--------------------|--------------------|
| Interface | 1 x USB 3.2 Gen2 Type-C (10Gbps) | | | | |
| Compatible Drive | 1 x 3.5"/2.5" SATA III HDD/SSD (up to 6 Gbps) | | | | |
| Certification | CE/FCC | | | | |
| Storage Mode | JBOD - Independent Mode | | | | |
| Operating System Support | Windows 7 or above, OS X 10.10 or above | | | | |
| Electrical and Operating Requirements | <ul style="list-style-type: none"> • Line voltage: 100-240V AC • Frequency: 50Hz to 60Hz, single phase • Operating temperature: 32° to 104° F (0° to 40° C) • Storage temperature: -4° to 116° F (-20° to 47° C) • Relative humidity: 5% to 95% noncondensing | | | | |
| Size | Height : 131 mm Width : 50 mm Depth : 224 mm | | | | |
| Product Code | GT1670 Series | EAN | UPC | USB Type A-C cable | USB Type C-C cable |
| | GT1670-B31A | 4713227441278 | 884826505839 | √ | |
| | GT1670-B31 | 4713227441254 | 884826505815 | | √ |
| | GT1670-BA31 | 4713227441261 | 884826505822 | √ | √ |
| Carton | 10 pcs per carton | | | | |
| Package Accessories | <ul style="list-style-type: none"> • GT1670 x 1 (with 3.5"/2.5" removable drive tray enclosed x1) • USB 3.2 Gen2 Type-C to Type-C Cable x 1 (for GT1670-BA31/GT1670-B31) • USB 3.2 Gen2 Type-C to Type-A Cable x 1 (for GT1670-BA31/GT1670-B31A) • AC Power Adapter x 1 • Power Cable x 1 • User Manual x 1 • Screws & Key | | | | |

